



VEHICLE LINE

by Bieffe Farinelli



*Bieffe is promoter of the initiative **PERCHÉ BUTTARE?**[®]
encouraging reconditioning as an alternative to consuming.*




www.bieffeitalia.it

✓ HOT WATER/DETERGENT ✓ STEAM ✓ VACUUM ✓ INJECTION/EXTRACTION ✓ DRY ✓ OZONE

CARWASH

Steam generator for cleaning and sanitization of car inte-

Machine for the motor vehicle interiors reconditioning. It cleans and sanitizes with steam, dries quickly with hot air, it is equipped with professional vacuum cleaner. This steam generator is ideal for carwash and



- 1 STEAM AND VAC NOZZLE**
Hot water and detergent
Steam injection
For textiles and leather cleaning
- 2 STEAM GUN**
Engine cleaning
Wheel cleaning
Dashboard cleaning
- 3 BASKET FOR ACCESSORIES**
- 4 STAINLESS STEEL DRUM**
0 lt capacity - Dust collector
Dirty water collector
- 5 DRYING OUTLET**
Hot air jet temp. 50°C
Removes moisture from seat and carpet fibres
- 6 OZONE OUTLET (models BF310Z and BF310PLZ)**
Interior ozonization - Removes odours
- 7 OZONE TIMER**
- 8 BOILER DRAINING TAP**
to easily clean the boiler
- 9 STEAM ADJUSTMENT FOR GUN**



TECHNICAL DATA

	BF310Z
POWER	
BOILER CAPACITY	3,5 lt
BOILER POWER	1000W+1000W+1000W
STEAM PRESSURE	6 Bar
BOILER STEAM TEMP.	165°C
STEAM PRODUCTION	67 g/min
VACUUM POWER ¹	1200 W
HOT AIR OUTPUT TEMP.	50°C
WATER/DETERGENT TEMP.	50°C
WATER TANK	10 lt
STEEL DRUM VOLUME	10 lt
DETERGENT TANK	20 lt
DIMENSIONS	52x80x110h cm
WEIGHT NO ACCESSORIES	48 kg
WEIGHT WITH ACCESSORIES	54 kg
ADJUSTABLE STEAM FLOW	✓
OZONE DISINFECTION	✓
OZONE PRODUCTION	0,35 g/h
BOILER REFILL	AUTOM.
VACUUM	✓
WET VACUUM	✓

¹ Higher speed engine with increased vacuum power and reduced electricity consumption


KIT "A" - DRYING ACCESSORIES (included)



CVK32
Turbo brush for extraction



CVK10
Hot air flex hose 3.5 mt



Seat drying

KIT "B" - FOR INTERIORS (included)




CVK21



CVK20



CVK55



COF5502 2pz



CVK53



MGK04N



RIP5154



MGLND



CVAC



CVEB



CVG1



CVG3



CVG3B



CVG2




CVE



CVC



EMF



KIT5006

✓ HOT WATER/DETERGENT ✓ STEAM ✓ VACUUM ✓ INJECTION/EXTRACTION ✓ WET VACUUM

VAPOBUS BF090JB

Steam generator for cleaning and sanitization of bus interiors and

Steam generator specifically designed for cleaning the corridors and interior of buses and railroad-car, it is also used for home carwashing service, cinema, theater, chairs, sofas, armchairs and mattresses cleaning.



- 1 1400W VACUUM**
Liquids and dust suction
- 2 BASKET FOR ACCESSORIES**
- 3 STAINLESS STEEL DRUM**
20 lt capacity
Dust collector
Dirty water collector
- 4** Steam, hot water and detergent functions
- 5 INJECTION/EXTRACTION NOZZLE OUTLET**
Hot water and detergent
Steam delivering
- 6 BOILER DRAINING TAP** to easily clean the boiler

TECHNICAL DATA

POWER	220/240V 50/60Hz
BOILER CAPACITY	3,5 lt
BOILER POWER	1300W+1300W
STEAM PRESSURE	6 Bar
BOILER STEAM TEMP.	165°C
STEAM PRODUCTION	53 g/min
VACUUM POWER	1400W 2 stages
WATER/DETERGENT TEMP.	50°C
WATER TANK	5 lt
DETERGENT TANK	5 lt
STEEL DRUM VOLUME	20 lt
DIMENSIONS	30x60x110h cm
WEIGHT NO STEEL DRUM (FOR AN EASIER MOVING)	21 kg
WEIGHT WITH/WITHOUT ACCESSORIES	31 kg / 27 kg
BOILER REFILL	AUTO

* Available with two steam gun (BF090JB04)



STEAM



HOT WATER/DETERGENT



VACUUM

ALCUNE APPLICAZIONI

SEAT SANITIZATION, WINDOWS, CARPETING, ROOF, REMOVAL OF ANIMAL HAIR AND CHEWING GUM



OPTIONAL: DETERGENT NEBULIZER

ACCESSORIES INCLUDED



OPTIONAL: KIT NEBULIZATION



OZONO BIEFFE BF360

Ozone generator for sanitization of small/medium environments



- 1 OZONE OUTLET WITH BLOWING HOSE CONNECTION**
- 2 TIMER**
- 3 HANDLE**
- 4 POWER ON**
0 for timer mode
I for non-stop mode with manual power off

TECHNICAL DATA

POWER	220/240V 50Hz
ABSORBED POWER	65W
OZONE PRODUCTION	1 g/h - 500 ppm/h/m ³ 3,5 g/h BF360PL model
DIMENSIONS	27x14x18h cm
WEIGHT	4 kg

ELIMINATES UP TO **99.9%** OF BACTERIA



✓ HOT WATER/DETERGENT ✓ STEAM ✓ VACUUM ✓ INJECTION/EXTRACTION ✓ WET VACUUM

ECOWASH BF320

Professional steam generator for car-wash and industrial use with vacuum

ECOWASH is a power steam generator designed for cleaning large industrial and public sites. The constant supply of steam under high pressure guarantees effective cleaning and disinfection. ECOWASH effectively cleans grease, tar, oil and many other types of dirt.

MAIN FUNCTIONS

1 STEAM OUTLET F/GUN - EXTERIORS | 1 STEAM OUTLET F/ NOZZLE - INTERIORS

AVERAGE WATER CONSUMPTION FOR CAR-WASH 3/5 lt

DETERGENT OUTLET FOR NEBULIZING LANCE

STEAM/HOT WATER FUNCTION

STANDARD WET VAC/CLEANER FUNCTION

Variety of accessory kits:

- ✓ CLEANING KIT – BF601CL
- ✓ CHEWING GUM KIT – BF602CH
- ✓ EXTERIORS CAR KIT – BF601CE
- ✓ INTERIORS CAR KIT – BF602CW



✓ HOT WATER/DETERGENT ✓ STEAM ✓ VACUUM ✓ INJECTION/EXTRACTION ✓ WET VACUUM




BF4000/BF4000 VACUUM BF601/BF602

High-pressure steam cleaner for cleaning.

High pressure steam generator, available in two versions: **BF4000 VAPOR** and **BF4000 VACUUM with liquid and solid vacuum**. Ideal for cleaning (even at home) of cars and motorcycles, sanitizing large areas, flooring, walls, removal of graffiti, greases, tar, oil and it's an awesome cleaner of industrial machinery. BF4000 is powered by diesel and delivers 35kw of steam (700 g/min). With only 3-5 liters of water it executing a perfect car cleaning, don't need installations or waste systems.

DATI TECNICI

	ECOWASH Ref. BF320	ECOWASH Ref. BF320PL	ECOWASH Ref. BF320PLBFR	BF4000 VAPOR Ref. BF601	BF4000 VA- CUUM Ref. BF602
POWER	220V-240V 50-60Hz	380V 50/60Hz	380V 50/60Hz	220V-240V 50Hz	220V-240V 50Hz
BOILER POWER SUPPLY	Electric	Electric	Electric	Diesel - tank 45 lt	Diesel - tank 45 lt
BOILER POWER	3000W	4500W	6500W	350W 220V + 1200W	350W 220V + 1200W
BOILER CAPACITY	5 lt	5 lt	5 lt	16 lt	16 lt
EAM PRESSURE	6 Bar	6 Bar	6 Bar	10,5 bar	10,5 bar
BOILER STEAM TEMPERATURE	180°C	180°C	180°C	180°C	180°C
STEAM PRODUCTION	60 g/min	90 g/m	130 g/min	700 g/min	700 g/min
STEAM OUTLET	3	3	3	10 bar	10 bar + 6 bar
VACUUM ENGINE	1200W	1200W	1200W	-	1200W
VACUUM NOISE LEVEL	62 dB(A)	62 dB(A)	62 dB(A)	-	62 dB
STEEL DRUM VOLUME	20 lt	20 lt	20 lt	-	20 lt
WATER TANK	10 lt	10 lt	10 lt	WATER SUPPLY/RESERVOIR 10 lt	
DETERGENT TANK	10 lt	10 lt	10 lt	3 lt	3 lt
HOT WATER/DETERGENT INJECTION	✓	✓	✓	✓	✓
STEAM/HOT WATER/ DETERGENT SIMULTANEOUSLY	✓	✓	✓	✓	✓
TWO STEAM OUTLETS	Injection/extraction lance + steam gun			2 steam guns	
DIMENSIONS	58x63x108 cm	58x63x108 cm	58x63x108 cm	110x70x90h cm	110x70x90h cm



DETERGENTS AND ACCESSORIES

BIEFFE offers a great range of optional accessories for the most diverse applications and an excellent variety of detergents for the most specific uses. Here are some of our solutions.


Steam guns	
	MGK01E05 - Steam handle 5mt
	RIP0406 - Steam gun w/7MT Hose BF4000
	RIP0421 - Hose F/Steam gun F/ BF4000 – 8mt
	RIP0603 - Steam gun 1 way with corrugated pipe
Mechanical lances for BF4000/ ECOWASH	
	RIP2314 - Steam lance 'heavy duty' 45° – 300 mm
	RIP2315 - Steam lance 'Heavy duty' straight- 300 mm
	RIP2321 - Straight steam wand – 200 mm
	RIP2322 - Steam lance Mz Athermic bent – 900 mm
	RIP2323 - Steam lance Mz Athermic bent – 1200 mm
Steam lances	
	MGK04NC - Bent steam lance new 400 mm
	MGK04AN - Curved steam wand with brass nozzle
	MGK04BN - Steam Lance – W/Brass nozzle 19 cm
	RIP2310 - Lance 20cm
	RIP2321 - Lance 70cm
	RIP2322 - Lance 90cm
	RIP2323 - Lance 120cm
Brush for mechanical lances diam.60/80 1/8 F	
	RIP5171 - diam.60 PVC bristles
	RIP5172 - diam.60 Brass bristles
	RIP5173 - diam.60 Stainless bristles
	RIP5174 - diam.60 Nat. bristles
	RIP5175 - diam.80 Brass bristles
	RIP5176 - diam.80 Stainless bristles
Mechanical steam/detergent lances	
for BF4000/ ECOWASH	RIP0401 - L20cm Hose 7mt
	RIP0402 - L50cm Hose 7mt
	RIP0403 - L130cm Hose 7mt
	RIP0404 - Detergent nebulizer 5mt
Steam/water vacuum handles for BF4000 VACUUM	
	CVK21E - 4mt
	CVK21EC - 5mt
	CVK21ED - 8mt
Brushes diam.26	
	MGLND - Nylon bristles
	MGLNE - Brass bristles
Brushes diam.20 M10	
	RIP5111 - Nylon bristles
	RIP5112 - Steel bristles
	RIP5113 - Brass bristles
Brushes diam.28	
	MGLN - Nylon bristles
	MGLNA - Steel bristles
	MGLNB - Brass bristles
	MGLNC - Horsehair bristles



CVK20
Pratika steam & vac nozzle – K20



Speedy Foam
Foam generator with brush



CVK71
Steam & vac brush W/ Brass bristles 150 mm



CVT
Triangular steam & vac nozzle 240 mm



CVG4
Rectangular small brush – Brass bristles for removing animal



CVO
Steam/vac extension 144 cm



CVH
Steam & Vac nozzle diam. 13 300 mm



CVK20S
Pratika steam & vac nozzle



CVK106
Silicone brush steam & vacuum



CVK30
Steam & vac remove chewing-gum wand – L 1 mt



CVK11
Turbo – vacuum brush



CVK49
Steam & vac tool F/ Carpet 100 cm – L 1 mt



CVCG
Chewing-Gum removal vac nozzle



RIP6002
Lamp led F/Drivers cabin cleaning 14W

ELECTRICITY GENERATORS

Petrol or diesel oil



DETERGENT

RIP1433 - Detergent chewing gum removal – 1kg	RIP1505 - Detergent special F/ Interiors W/Enzyme – 5kg
RIP1434 - Detergent F/ Upholstery "SPECIALE INTERNI" – 5 Kg	RIP1506 - Sanitizing enzyme detergent – 5 Kg
RIP1452 - 'Floor detergent "ALL SUPER" – 5 Kg	RIP1508 - Detergente sgrassante per cucine – 5 KG



and much more...



Via Costa di Fagnano 3, 61122 Pesaro (PU), Italy
T/Whatsapp +39 0721.28.18.57 - info@bieffeitalia.it - www.bieffeitalia.it
Facebook: bieffefarinelli YouTube: Bieffe Farinelli Instagram: bieffe_farinelli

VACUUM CLEANERS



One motor
Two motor
Three motor
15/20/60 LT



✓ **ASCIUGATURA CON ARIA CALDA**

CARFON

Dryer for car interiors, seats and upholstery.

Quick, powerful, silent and equipped with the high quality motor, CARFON is a professional car interior dryer. It dries car seats and floor mats in less than 1 hour with two powerful jet of hot air. This system allows you to deliver the car to the customer in a short time.

SCHEDA TECNICA

POWER	220/240V 50/60Hz
BLOWING MOTOR POWER	320W Brushless
AIR FLOW	900 m³/h
NOISE LEVEL	38 dB
HEATING POWER	2800W
HOT AIR TEMPERATURE	50°C
PACKAGE DIMENSIONS	40x40xh77 cm
WEIGHT (WITH ACCESSORIES)	15 kg



- 1 HANDLE
- 2 DOUBLE HOT AIR OUTLET
- 3 STEEL FRAME
- 4 SILENT BRUSHLESS ENGINE
- 5 FLEXIBLE AIR HOSES
- 6 DRYING BAGS FOR FRONT AND BACK SEATS
- 7 BAGS WITH CROSSES TO DRY CAR MATS
- 8 WHEELS
- 9 POWER/HOT-COLD AIR
- 10 AIR DIFFUSER



APPLICATIONS

- DRYING OF CAR INTERIORS
- DRYING OF MATTRESSES, SOFAS AND ARMCHAIRS

VERSIONI DISPONIBILI

BF350 "CARFON"	2800W 220/240V 50/60HZ + 2 FLEXIBLE AIR HOSES
BF351 "CARFON OPEN"	2800W 220/240V 50/60HZ + 2 FLEXIBLE AIR HOSES, "BAGS" KIT KITFONO

✓ **VAPORE**

STEAM CAR / MAGIC CAR

Steam generator for car cleaning

TECHNICAL DATA


	STEAM CAR Available in three versions	MAGIC CAR Ref. BF009CAR
POWER	230V/380V	220V/240V 50/60Hz
BOILER CAPACITY	5 lt	2,8 lt
BOILER POWER	3000W (BF420C) 4500W (BF420CPL) 6500W (BF420CPL2)	1200W+1200W
STEAM PRESSURE	6 Bar	6 Bar
BOILER STEAM TEMP.	180°C	165°C
STEAM PRODUCTION	da 3,6 a 7,8 kg/h	48 g/min
WATER TANK	10 lt	3 lt
DIMENSIONS	46x36xh100 cm	27x39x39h cm
WEIGHT	31 kg	9 kg
STEAM JET	✓	✓
LOW WATER LEVEL ALARM	AUTO	AUTO
BOILER REFILL	✓	✓



STEAM CAR



MAGIC CAR



* Double steam outlet available

ACCESSORIES INCLUDED



STEAM CAR:
MGK01E05
ISteam handle 5mt
MAGIC CAR:
MGK01NW
Steam handle – 2mt



CVK36N
Steam nebulizer



MGK04N
Steam lance



MGLND
Curved small brush
diam. 26 mm for
MGK04N – Nylon
bristles